

WAQAR INTERNATIONAL

Precision Instruments Manufacturer

Friendly Specialist
SERVICE

ELECTRO

SURGERY INSTRUMENTS



www.waqarintl.com

About Us

For more than a quarter century, **Waqar International** customers have benefited from our outstanding industry knowledge and our ability to consistently provide high-quality specialty surgical instruments. Our Instrument Specialists bring years of industry experience to every customer interaction and constantly strive to meet our goal of 100% customer satisfaction.

Known for providing unsurpassed overall value, the instruments we sell are backed by a surgeon satisfaction guarantee. We sell German, American-made, and high-quality instruments that are often sourced through the same manufacturers as higher-priced name-brand instrument companies. We will only provide you with a quote on instruments that will match your required specifications and deliver an equal- or superior-quality instrument with substantially more value. And we can reference any catalog number from any company. That's why 99% of our customers report surgeon satisfaction.

Our competitive advantage is created through a dedicated team of highly-trained and experienced instrument specialists who understand the unique challenges of the industry and deliver unparalleled customer service. Our customers are assigned Primary and Secondary Instrument Specialists to ensure that a consultant familiar with your account and individual challenges is always available.

6 / REUSABLE / Standard Monopolar Instruments

STANDARD REUSABLE MONOPOLAR INSTRUMENTS



Standard Reusable Monopolar Instruments range, identified by their blue body colour should be the instrument of choice for customers who feel they would benefit from an economical solution with greater sustainability credentials than Single Use products without loss of performance after multiple uses.

Our range of Standard Reusable Monopolar Forceps is designed for manufacturing economy with medium term service life and feature:

- A validated capability to withstand 25 re-processing cycles without loss of performance
- Double nylon coated body insulation - colour blue
- Polished and fully passivated stainless steel jaw tips
- Polished and fully passivated terminal connectors
- Latex free including their packaging
- Every instrument fully inspected and tested for before shipment

For optimum performance and safety in use we recommend pairing these Forceps with one of our Reusable Monopolar Cables which can be found on page 29 and for additional risk minimisation during use you will find our range of Quivers on page 64.

Customers can return their electrosurgical forceps to us for free testing throughout the life of the product at any interval (T&C's apply). Our Testing and Repair Policy is available by visiting our website.

REUSABLE / Standard Monopolar Instruments / 7



Riches Monopolar Forceps Curved




Image shown
527B

LENGTH (mm)				
150	180	200	230	240
527	527A	527B	527C	527D

8 / REUSABLE / Standard Monopolar Instruments



Wilson Hey Monopolar Forceps




Image shown
521

	LENGTH (mm)		
	155	180	220
CURVED	521	521A	521C
STRAIGHT	522	522A	522C

REUSABLE / Standard Monopolar Instruments / 9

Adson Monopolar Dissecting Forceps 1:2 Teeth



Tip (mm)
1.8

Image shown
1201G-12

LENGTH (mm)	
125	190
1201G-12	1201J-12

Adson Monopolar Dissecting Forceps 1.8mm Serrated Tip



Tip (mm)
1.8

Image shown
1203G-SR


LENGTH (mm)	
125	190
1201G-SR	1201J-SR

10 / REUSABLE / Standard Monopolar Instruments

Monopolar Dissecting Forceps 1:2 Teeth



Image shown
1203G-12



LENGTH (mm)				
150	180	200	230	255
1203G-12	1203A-12	1203B-12	1203J-12	1203H-12
275	300	325	360	380
1203L-12	1203M-12	1203N-12	1203O-12	1203P-12

Monopolar Dissecting Forceps 2.0mm Serrated Tip



Image shown
1203A-SR



LENGTH (mm)				
150	180	200	230	255
1203G-SR	1203A-SR	1203B-SR	1203J-SR	1203H-SR
275	300	325	360	380
1203L-SR	1203M-SR	1203N-SR	1203O-SR	1203P-SR

Gillies Monopolar Dissecting Forceps 1:2 Teeth
REUSABLE / Standard Monopolar Instruments / 11



Tip (mm)
1.8


LENGTH (mm)
150
1204G-12

McIndoe Monopolar Forceps 2.0mm Serrated Tip



Tip (mm)
1.8



LENGTH (mm)
150
1206G-SR

12 / REUSABLE / Standard Monopolar Instruments

Remminaton Hobbs Monopolar Forceps



Image shown
1230G-SR




	LENGTH (mm)	
	230	235
1:2 TEETH	1230G-12	1230J-12
SERRATED	1230G-SR	1230J-SR

Waughs Monopolar Dissecting Forceps



Image shown
1231B-SR



	LENGTH (mm)			
	180	200	230	255
1:2 TEETH	1231A-12	1231B-12	1231J-12	1231H-12
SERRATED	1231A-SR	1231B-SR	1231J-SR	1231H-SR

REUSABLE / Standard Monopolar Instruments / 13

Abbey Monopolar Sub-Mucous Resection Needle



Tip (mm)
0.7

LENGTH (mm)
165
531

Negus Monopolar Fitting Aspirating Dissector with Stilette



LENGTH (mm)
205
541



14 / REUSABLE / Premium Bipolar Instruments

PREMIUM NON-STICK REUSABLE BIPOLAR FORCEPS

Premium Non-Stick Reusable Bipolar Forceps range identified by their orange body colour should be the instrument of choice for customers who feel they would benefit from the full non-stick features and robustness of this high-end product designed to satisfy the requirements of the most discerning end users and withstand the exacting demands of modern clinical use and repeated re-processing cycles without loss of performance whilst maintaining its sustainability credentials.

Our range of Premium Non-Stick Reusable Bipolar Forceps feature:

- A validated capability to withstand 50 re-processing cycles without loss of performance
- Triple nylon coated body insulation – colour orange
- Polished and fully passivated stainless steel surfaces
- Fully coated jaws and tips with silver alloy to provide full non-stick capabilities
- Polished and fully passivated terminal connectors
- Double PTFE polymeric pin block insulator with stainless steel reinforcing collar
- Latex free including their packaging
- Every instrument fully inspected and tested for before shipment

For optimum performance and safety in use we recommend pairing these Forceps with one of our Reusable Bipolar Cables which can be found on page 29 and for additional risk minimisation during use you will find our range of Quivers on page 64.





Customers can return their electrosurgical forceps to us for free testing throughout the life of the product at any interval (T&C's apply). Our Testing and Repair Policy is available by visiting our website.

REUSABLE / Premium Bipolar Instruments / 15

Premium Non-Stick Bipolar Bayonet Forceps Angled Downwards



Image shown
T136B

Tip (mm)			
0.5	1.0	1.5	2.0
			





		LENGTH (mm)	
		200	220
TIP SIZE (mm)	0.5	T136	T137
	1.0	T136B	T137B
	1.5	T136C	T137C
	2.0	T136D	T137D

16 / REUSABLE / Premium Bipolar Instruments

Premium Non-Stick Bipolar Bayonet Forceps Angled Upwards



Image shown
T131B

Tip (mm)			
0.5	1.0	1.5	2.0
			

		LENGTH (mm)	
		200	220
TIP SIZE (mm)	0.5	T131	T132
	1.0	T131B	T132B
	1.5	T131C	T132C
	2.0	T131D	T132D

REUSABLE / Premium Bipolar Instruments / 17

Premium Non-Stick Bipolar Forceps



Image shown
T101B

		LENGTH (mm)
		110
TIP SIZE (mm)	0.5	T101
	1.0	T101B
	1.5	T101C
	2.0	T101D

Premium Non-Stick Bipolar Forceps



Image shown
T103B

		LENGTH (mm)						
		140	155	180	200	220	240	300
TIP SIZE (mm)	0.5	T121	T102	T103	T104	T105	T116	T122
	1.0	T121B	T102B	T103B	T104B	T105B	T116B	T122B
	1.5	T121C	T102C	T103C	T104C	T105C	T116C	T122C
	2.0	T121D	T102D	T103D	T104D	T105D	T116D	T122D





18 / REUSABLE / Premium Bipolar Instruments



Premium Non-Stick Bipolar Forceps Bayonet



Image shown
T113B

Tip (mm)			
0.5	1.0	1.5	2.0
			

		LENGTH (mm)			
		180	200	220	240
TIP SIZE (mm)	0.5	T112	T113	T114	T115
	1.0	T112B	T113B	T114B	T115B
	1.5	T112C	T113C	T114C	T115C
	2.0	T112D	T113D	T114D	T115D

REUSABLE / Premium Bipolar Instruments / 19



Premium Non-Stick Bipolar Forceps Angled Image shown
T106B



		LENGTH (mm)
		110
TIP SIZE (mm)	0.5	T106
	1.0	T106B
	1.5	T106C
	2.0	T106D

Premium Non-Stick Bipolar Forceps Angled



Image shown
T108B

		LENGTH (mm)						
		140	155	180	200	220	240	300
TIP SIZE (mm)	0.5	T126	T107	T108	T109	T110	T117	T127
	1.0	T126B	T107B	T108B	T109B	T110B	T117B	T127B
	1.5	T126C	T107C	T108C	T109C	T110C	T117C	T127C
	2.0	T126D	T107D	T108D	T109D	T110D	T117D	T127D

20 / REUSABLE / Non-Stick Bipolar Instruments



NON-STICK REUSABLE BIPOLAR FORCEPS

Non-stick Reusable Bipolar Forceps identified by their black body colour should be the instrument of choice for customers who feel they would benefit from the additional non-stick feature and durability of this quality mid-range product which represents real value for money whilst maintaining its sustainability credentials and an even longer service life than the Standard Reusable Bipolar Forceps range, without loss of performance.

Our range of Standard Non-Stick Bipolar Forceps feature:

- A validated capability to withstand 50 re-processing cycles without loss of performance
- Double nylon coated body insulation – colour black
- Polished and fully passivated stainless-steel surfaces
- Partially coated jaws using silver alloy to provide non-stick capabilities to key working surfaces
- Polished and fully passivated terminal connectors
- Polymetric pin block insulator and collar
- Latex free including their packaging
- Every instrument fully inspected and tested for before shipment

For optimum performance and safety in use we recommend pairing these Forceps with one of our Reusable Bipolar Cables which can be found on page 29 and for additional risk minimisation during use you will find our range of Quivers on page 64.

Customers can return their electrosurgical forceps to us for free testing throughout the life of the product at any interval (T&C's apply). Our Testing and Repair Policy is available by visiting our website.





REUSABLE / Non-Stick Bipolar Instruments / 21



Non-Stick Adson Bipolar Forceps



Image shown
NA201B



Tip (mm)			
0.5	1.0	1.5	2.0
			

		LENGTH (mm)
		121
TIP SIZE (mm)	0.5	NA201
	1.0	NA201B
	1.5	NA201C
	2.0	NA201D

Non-Stick Jewellers Bipolar Forceps for Eyes and Microsurgery



Image shown
NA204B

Tip (mm)	
0.5	1.0
	

		LENGTH (mm)
		115
TIP SIZE (mm)	0.5	NA204
	1.0	NA204B

22 / REUSABLE / Non-Stick Bipolar Instruments

Non-Stick Bipolar Forceps





Image shown
NA202A

		LENGTH (mm)					
		140	155	180	200	220	240
TIP SIZE (mm)	0.5	NA250	NA202	NA202A	NA202B	NA202C	NA202D
	1.0	NA250B	NA202V	NA202AB	NA202BB	NA202CB	NA202DB
	1.5	NA250C	NA202X	NA202AC	NA202BC	NA202CC	NA202DC
	2.0	NA250D	NA202Y	NA202AD	NA202BD	NA202CD	NA202DD

Non-Stick Bipolar Forceps Angled



Image shown
NA251

Tip (mm)	
0.5	1.0
	

		LENGTH (mm)
		102
TIP SIZE (mm)	0.5	NA251
	1.0	NA251B



REUSABLE / Non-Stick Bipolar Instruments / 23



Non-Stick Bipolar Forceps Angled



Image shown
NA252

Tip (mm)	
0.5	1.0
	





TIP SIZE (mm)	LENGTH (mm)	
	115	
	0.5	NA252
1.0	NA252B	

Non-Stick Bipolar Forceps Angled



Image shown
NA207AB

		LENGTH (mm)					
		140	155	180	200	220	240
TIP SIZE (mm)	0.5	NA253	NA207	NA207A	NA207B	NA207C	NA207D
	1.0	NA253B	NA207V	NA207AB	NA207BB	NA207CB	NA207DB
	1.5	NA253C	NA207X	NA207AC	NA207BC	NA207CC	NA207DC
	2.0	NA253D	NA207Y	NA207AD	NA207BD	NA207CD	NA207DD





Tip (mm)			
0.5	1.0	1.5	2.0
			

24 / REUSABLE / Non-Stick Bipolar Instruments

Non-Stick Bipolar Forceps Bayonet



Image shown
NA203BC

Tip (mm)			
0.5	1.0	1.5	2.0
			

		LENGTH (mm)				
		155	180	200	220	240
TIP SIZE (mm)	0.5	NA203	NA203A	NA203B	NA203C	NA203D
	1.0	NA203V	NA203AB	NA203BB	NA203CB	NA203DB
	1.5	NA203X	NA203AC	NA203BC	NA203CC	NA203DC
	2.0	NA203Y	NA203AD	NA203BD	NA203CD	NA203DD

Non-Stick Bipolar Forceps with Irrigation

REUSABLE / Non-Stick Bipolar Instruments / 25



Image shown
NA257B


Tip (mm)			
0.5	1.0	1.5	2.0

		LENGTH (mm)	
		180	200
TIP SIZE (mm)	0.5	NA257	NA257A
	1.0	NA257B	NA257AB
	1.5	NA257C	NA257AC
	2.0	NA257D	NA257AD

Non-Stick Bipolar Forceps Multi-Functional



Image shown
NA291



		LENGTH (mm)	
		155	200
TIP SIZE (mm)	3.35 Width (W) 0.5 Thick (T)	NA291	-
	3.35 Width (W) 0.5 Thick (T)	-	NA292

26 / REUSABLE / Standard Bipolar Instruments



STANDARD REUSABLE BIPOLAR FORCEPS

Standard Reusable Bipolar Forceps range, identified by their blue body colour should be the instrument of choice for customers who feel they would benefit from an economical solution with greater sustainability credentials than Single Use products without loss of performance after multiple uses.

Our range of Standard Reusable Bipolar Forceps is designed for manufacturing economy with medium term service life and feature:

- A validated capability to withstand 25 re-processing cycles without loss of performance
- Double nylon coated body insulation - colour blue
- Polished and fully passivated stainless steel jaw tips
- Polished and fully passivated terminal connectors
- Polymeric pin block insulator and collar
- Latex free including their packaging
- Every instrument fully inspected and tested for before shipment

For optimum performance and safety in use we recommend pairing these Forceps with one of our Reusable Bipolar Cables which can be found on page 29 and for additional risk minimisation during use you will find our range of Quivers on page 64.

Customers can return their electrosurgical forceps to us for free testing throughout the life of the product at any interval (T&C's apply). Our Testing and Repair Policy is available by visiting our website.

REUSABLE / Standard Bipolar Instruments / 27

Adson Standard Bipolar Forceps







Tip (mm)
0.7


LENGTH (mm)
121
801A

Standard Bipolar Forceps



Image shown
807C

Tip (mm)			
0.5	1.0	1.5	2.0
			

		LENGTH (mm)			
		155	180	200	240
TIP SIZE (mm)	0.5	805	806	807	822
	1.0	805B	806B	807B	822B
	1.5	805C	806C	807C	822C
	2.0	805D	806D	807D	822D





28 / REUSABLE / Standard Bipolar Instruments

Standard Bipolar Forceps Bayonet



Image shown
824B



Tip (mm)			
0.5	1.0	1.5	2.0
			

		LENGTH (mm)			
		155	180	200	240
TIP SIZE (mm)	0.5	808	809	824	810
	1.0	808B	809B	824B	810B
	1.5	808C	809C	824C	810C
	2.0	808D	809D	824D	810D

REUSABLE MONOPOLAR AND BIPOLAR CABLES

Bolton Surgical offers a wide range of Monopolar and Bipolar cables suitable for all commonly used electrosurgical instruments and generators. They are designed to be durable and long-lasting while being easy to use and clean.

All are produced from high grade silicon with twined high-quality copper to prevent memory in the cable. The high stranding of copper wire enables Bolton Surgical cables to perform longer without failure.

Monopolar and bipolar cables which have a round cross section are double insulated with FEP to provide excellent electrical insulation capability and elevated temperature resistance.

Re-usable electrosurgical cables are supplied in a non-sterile state and can be steam sterilised at 134 – 137°C for 3 mins minimum with validated capability to withstand 50 re-processing cycles without loss of performance

The insert moulded connectors are made from TPU which has good thermal stability and eliminates risk of micro cracks in the plastic during autoclave cycles.

Bolton Surgical electrosurgical cables have permanently attached plastic tags with fifty punchable dots. The user can simply punch a dot in every time the cable is autoclaved and easily see and monitor product usage.

Customers can return their electrosurgical cables to us for free testing throughout the life of the product at any interval (T&C's apply). Our Testing and Repair Policy is available by visiting our website.

Monopolar Cable 4.0mm Martins Plug


with 2.0mm Socket for Wolf Resectoscope



LENGTH (M)	
3	5
22-7035-03	22-7035-05



Ø 4.0mm








Ø 2.0mm

30 / REUSABLE/ Monopolar and Bipolar Cables

Monopolar Cable 4.0mm Pin

with 3.0mm Female Socket for Olympus Endoscope






LENGTH (M)	
3	5
   <p>Ø 4.0mm</p> <p>Ø 3.0mm</p>	<p>22-7045-03</p> <p>22-7045-05</p>

Monopolar Cable 4.0mm Pin

with 4.0mm Female Socket for Laparoscope/Endoscopes




LENGTH (M)	
3	5
   <p>Ø 4.0mm</p> <p>Ø 4.0mm</p>	<p>22-7040-03</p> <p>22-7040-05</p>

Monopolar Cable 4.0mm Pin

with 4.0mm Socket for Olympus Resectoscope



LENGTH (M)	
3	5
   <p>Ø 4.0mm</p> <p>Ø 4.0mm</p>	<p>22-7030-03</p> <p>22-7030-05</p>

REUSABLE/ Monopolar and Bipolar Cables / 31

Monopolar Cable 4.0mm Pin

with 4.8mm Socket for UK Monopolar Forceps



LENGTH (M)	
3	5
22-7025-03	22-7025-05

Monopolar Cable 8.0mm Bovie

with 2.0mm Socket for Wolf Resectoscope



LENGTH (M)	
3	5
22-7020-03	22-7020-05

Monopolar Cable 8.0mm Bovie

with 3.0mm Female Socket for Olympus Endoscope






LENGTH (M)	
3	5
22-7015-03	22-7015-05

32 / REUSABLE/ Monopolar and Bipolar Cables

Monopolar Cable 8.0mm Bovie

with 4.0mm Female Socket for Laparoscope/Endoscope






LENGTH (M)	
3	5
 <p>Ø 8.0mm</p>   <p>Ø 4.0mm</p>	<p>22-7050-03</p> <p>22-7050-05</p>

Monopolar Cable 8.0mm Bovie

with 4.0mm Socket for Olympus Resectoscope






LENGTH (M)	
3	5
 <p>Ø 8.0mm</p>   <p>Ø 4.0mm</p>	<p>22-7010-03</p> <p>22-7010-05</p>

Monopolar Cable 8.0mm Bovie

with 4.8mm Socket for UK Monopolar Forceps



LENGTH (M)	
3	5
 <p>Ø 8.0mm</p>   <p>Ø 4.8mm</p>	<p>22-7000-03</p> <p>22-7000-05</p>


REUSABLE/ Monopolar and Bipolar Cables / 33

Bipolar Cable 2.0mm Martin Socket

to fit Euro Forceps



LENGTH (M)	
3	5
22-7135-03	22-7135-05




Bipolar Cable 4.0mm Twin Pin

to fit 3.8mm R.Wolf MIS Instrument



LENGTH (M)	
3	5
22-7140-03	22-7140-05




Bipolar Cable 4.0mm Valley Lab

to fit Euro Forceps



LENGTH (M)	
3	5
22-7130-03	22-7130-05




34 / REUSABLE/ Monopolar and Bipolar Cables

Bipolar Cable 4.0mm Twin Pin

to fit 4.0mm Twin Socket Powerstar



LENGTH (M)	
3	5
22-7105-03	22-7105-05




Bipolar Cable 4.0mm Twin Pin

to fit Aesculap Twin Blade Forceps



LENGTH (M)	
3	5
22-7110-03	22-7110-05




Bipolar Cable 4.0mm Twin Pin

to fit Ethicon Powerstar Cable




LENGTH (M)	
3	5
22-7120-03	22-7120-05




REUSABLE/ Monopolar and Bipolar Cables / 35

Bipolar Cable 4.0mm Twin Pin to fit Euro Forceps



LENGTH (M)	
3	5
22-7100-03	22-7100-05


Bipolar Cable 4.0mm Twin Pin to fit K.Storz Resectoscope



LENGTH (M)	
3	5
22-7115-03	22-7115-05

Bipolar Cable 4.0mm Twin Pin



to fit US 1.8mm Twin Pin Forceps



LENGTH (M)	
3	5
22-7125-03	22-7125-05

36 / REUSABLE/ Monopolar and Bipolar Cables

Cable Hand Control Fingerswitch 2.4mm Valleylab Cable



LENGTH (M)	
3	5
306A	306D

REUSABLE ELECTRODES

REUSABLE / Electrodes and Accessories / 37

Reusable Electrodes, identified by their black body colour should be the electrode of choice for customers who feel they would benefit from an economical solution with greater sustainability credentials than Single Use products without loss of performance after multiple uses. The range of Reusable Electrodes is designed to provide medium term service life and feature:

- A validated capability to withstand 25 re-processing cycles without loss of performance
- Polished and fully passivated stainless steel tips and terminal connector
- Polymeric terminal insulator collar
- Latex free including their packaging

- Every electrode fully inspected and tested for before shipment

For optimum performance and safety in use we recommend pairing these Electrodes with one of our Reusable Cable Hand Control Fingerswitches which can be found on page 36 and for additional risk minimisation during use you will find our range of Re-usable Quivers on pages 64/65.

Electrode Set - Short Shaft for all general surgery practices



SET
OF 5







600Plus

38 / REUSABLE / Electrodes







Monopolar Ball Electrode



SHORT SHAFT 70mm	Ø 2.4mm	PACK OF 5
	 Ø 4.0mm	613
	 Ø 6.0mm	617

Monopolar Wire Loop Electrode





SHORT SHAFT 70mm	Ø 2.4mm	PACK OF 5
	 Ø 5.0mm	616
	 Ø 10.0mm	632
	 Ø 14.0mm	641

REUSABLE / Electrodes / 39

Monopolar Needle Electrode



SHORT SHAFT 70mm	Ø 2.4mm	PACK OF 5		
			 20mm x 0.5mm	604
			 20mm x 0.8mm	603

Monopolar Spatula Electrode







SHORT SHAFT 70mm	Ø 2.4mm	PACK OF 5		
			 2.5mm	601

40 / REUSABLE / Electrodes



Monopolar Ball Electrode



LONG SHAFT 140mm	Ø 2.4mm	PACK OF 5
 		
NE21		
 		
NE27		

Monopolar Knife Electrode






LONG SHAFT 140mm	Ø 2.4mm	PACK OF 5
 		
NE7		

REUSABLE / Electrodes / 41

Monopolar Loop Electrode Flat



LONG SHAFT 140mm	Ø 2.4mm	PACK OF 5		
			D 10 x 10mm	NE72
			D 15 x 15mm	NE73
			D 20 x 15mm	NE74
			D 20 x 20mm	NE75

42 / REUSABLE / Electrodes








Monopolar Loop Electrode Round



LONG SHAFT 140mm

Ø 2.4mm

PACK OF 5

	 10mm	NE77
	 15mm	NE78
	 20mm	NE79
	 25mm	NE80

REUSABLE / Electrodes / 43



Monopolar Microdissection Needle Electrode

105mm EFFECTIVE LENGTH	Ø 2.4mm	45° TUNGSTEN TIP		
			— 4mm x 0.25mm	NE235

105mm EFFECTIVE LENGTH	Ø 2.4mm	TUNGSTEN TIP		
			— 4mm x 0.25mm	NE234

35mm EFFECTIVE LENGTH	Ø 2.4mm	TUNGSTEN TIP	PACK OF 5		
			— 4mm x 0.25mm	NE238	

70mm EFFECTIVE LENGTH	Ø 2.4mm	45° TUNGSTEN TIP	PACK OF 5		
			— 4mm x 0.25mm	NE237	

70mm EFFECTIVE LENGTH	Ø 2.4mm	TUNGSTEN TIP	PACK OF 5		
			— 4mm x 0.25mm	NE236	

44 / REUSABLE / Electrodes

Monopolar Needle Electrode



LONG SHAFT 140mm

Ø 2.4mm



12mm x 0.8mm

NE32

Monopolar Spatula Electrode



LONG SHAFT 140mm

Ø 2.4mm

PACK OF 5




20mm x 0.8mm

NE22

Did you know?...

We measure the length of Bipolar and Monopolar Forceps differently.

Monopolar Forceps are measured excluding the terminal (i.e top of actual forcep to end of tip).



Bipolar Forceps are measured from end to end (i.e top of terminal to end of tip).



46 / SINGLE USE / Forceps and Cables

SINGLE USE FORCEPS AND CABLES



Single Use Forceps and Cables, are intended for customers who require full functionality of the instrument with the convenience of instrument disposal in circumstances where reprocessing facilities are limited.

Our range of Single use Forceps, Cables and Hand Control Fingerswitches features:

- Permanently attached cable and connectors
- Polished and fully passivated stainless steel tips
- Polymeric terminal insulator collar
- Latex free including their packaging
- Supplied sterile with a minimum of 2 years remaining shelf life

Single use Hand Control Fingerswitches are supplemented with an extensive range of single use electrodes which you will find from page 56 and for additional convenience and risk minimisation during use we recommend our single use Quiver on page 67.

Adson Bipolar Forceps




LENGTH (mm)
120
NA102B

Bipolar Forceps Bayonet

SINGLE USE / Forceps and Cables / 47



Image shown
NA107B-1MM




- TWIN 4MM PIN
- 3 METRE CABLE
- BOX OF 10

LENGTH (mm)		
165	180	200
NA107B-1MM	NA105B-1MM	NA108B-1MM

Bipolar Forceps Straight Tip



Image shown
NA103B



- TWIN 4MM PIN
- 3 METRE CABLE
- BOX OF 10

LENGTH (mm)		
150	180	200
NA104B-1MM	NA106B-1MM	NA103B-1MM

48 / SINGLE USE / Forceps and Cables

Jeweller Bipolar Forceps Angled Tip



Tip (mm)
0.5

TWIN
4MM
PIN

3
METRE
CABLE

BOX
OF 10

LENGTH (mm)
115
NA109

Jeweller Bipolar Forceps



Tip (mm)
0.5

TWIN
4MM
PIN

3
METRE
CABLE

BOX
OF 10

LENGTH (mm)
115
NA101

SINGLE USE / Forceps and Cables / 49

Monopolar Forceps Straight with 4mm Plug Cable



Image shown
NA436-SR

Tip (mm)
1.0

3
METRE
CABLE

BOX
OF 10

LENGTH (mm)	
150	180
NA436-SR	NA432-SR

Monopolar Forceps Straight with 8mm Plug Cable



Image shown
NA432A-SR

Tip (mm)
1.0

3
METRE
CABLE

BOX
OF 10

LENGTH (mm)	
150	180
NA436A-SR	NA432A-SR



50 / SINGLE USE / Forceps and Cables

Gillies



1:2
TEETH

4MM
PLUG
CABLE

BOX
OF 10

LENGTH (mm)

150

NA416-12

Gillies

Cable



1:2
TEETH

3
METRE
CABLE

BOX
OF 10

LENGTH (mm)

150

NA416A-12

SINGLE USE / Forceps and Cables / 51

McIndoe Monopolar Forceps 4mm Plug Cable



- SERRATED
- 3 METRE CABLE
- BOX OF 10

LENGTH (mm)
150
NA411-SR

McIndoe Monopolar Forceps 8mm Plug Cable




- SERRATED
- 3 METRE CABLE
- BOX OF 10

LENGTH (mm)
150
NA411A-SR

Cable Hand Control Fingerswitch 2.4mm Valleylab Cable

52 / SINGLE USE / Forceps and Cables

Cable Hand Control Fingerswitch 2.4mm Valleylab Cable



Ø 4.0mm

3
METRE
CABLE

BOX
OF 10

LENGTH (M)	
3	5
301	302

SINGLE USE / Forceps and Cables / 53

Cable Hand Control Fingerswitch 2.4mm Valleylab Cable with Holster



3
METRE
CABLE

BOX
OF 10

301-HOL

54 / SINGLE USE / Forceps and Cables

Cable Hand Control Fingerswitch 2.4mm Valleylab Cable with Tip Cleaner



3
METRE
CABLE

BOX
OF 10

301-TC

SINGLE USE / Forceps and Cables / 55

Cable Hand Control Fingerswitch 2.4mm Valleylab Cable

with Holster and Tip Cleaner



3
METRE
CABLE

BOX
OF 10

301-HOLTC

56 / SINGLE USE / Electrodes

SINGLE USE ELECTRODES

Single Use Electrodes, identified by their blue body colour are intended for customers who require full electrosurgical capability of the instrument with the convenience of disposal in circumstances where reprocessing facilities may be limited.







Our range of Single Use Monopolar Electrodes features:

- Polished and fully passivated stainless-steel tips and terminal connector
- Polymeric terminal insulator collar
- Latex free including their packaging
- Supplied with a minimum of 2 years remaining shelf life

For optimum performance and safety in use we recommend pairing these Electrodes with one of our Single Use Cable Hand Control Fingerswitches which can be found on page 52 and for additional risk minimisation during use you will find our Single Use Quivers on page 67.

Monopolar Ball Electrode









SHORT SHAFT 70MM	Ø 2.4mm	PACK OF 5		
		Ø 2.0mm		D610
		Ø 4.0mm		D613
		Ø 6.0mm		D617

Monopolar Wire Loop Electrode





SINGLE USE / Electrodes / 57



SHORT SHAFT 70MM	Ø 2.4mm	PACK OF 5		
		Ø 5.0mm	D616	
		Ø 10.0mm	D632	
		Ø 14.0mm	D641	

Monopolar Needle Electrode



SHORT SHAFT 70MM	Ø 2.4mm	PACK OF 5		
		20mm x 0.5mm	D604	
		20mm x 0.8mm	D603	

58 / SINGLE USE / Electrodes

Monopolar Spatula Electrode



SHORT SHAFT 70MM

Ø 2.4mm

PACK OF 5



20mm x 2.5mm

D601

Monopolar Blade Electrode



SHORT SHAFT 70MM

Ø 2.4mm

PACK OF 5







20mm x 2.5mm

D635

SINGLE USE / Electrodes / 59





Monopolar Ball Electrode



LONG SHAFT 140mm	Ø 2.4mm	PACK OF 5
		
 Ø 4.0mm		DNE21
		
 Ø 6.0mm		DNE27

Monopolar Knife Electrode



LONG SHAFT 140mm	Ø 2.4mm	PACK OF 5
		
 10mm 2.4mm		DNE7
		
 25mm 3.3mm		DNE15





60 / SINGLE USE / Electrodes

Monopolar Loop Electrode Flat



LONG SHAFT 140mm







PACK OF 5

	D 10 x 10mm	DNE72
	D 15 x 15mm	DNE73
	D 20 x 15mm	DNE74 DNE75
	D 20 x 20mm	

SINGLE USE / Electrodes / 61

Monopolar Loop Electrode Round






LONG SHAFT 140mm	Ø 2.4mm	PACK OF 5		
			 10mm	DNE77
			 15mm	DNE78
			 20mm	DNE79
			 25mm	DNE80

62 / SINGLE USE / Electrodes

Monopolar Microdissection Needle Electrodes





105mm EFFECTIVE LENGTH	Ø 2.4mm	45° TUNGSTEN TIP	PACK OF 5		
				— 4mm x 0.25mm	DNE235
105mm EFFECTIVE LENGTH	Ø 2.4mm	TUNGSTEN TIP	PACK OF 5		
				— 4mm x 0.25mm	DNE234
35mm EFFECTIVE LENGTH	Ø 2.4mm	TUNGSTEN TIP	PACK OF 5		
				— 4mm x 0.25mm	DNE238
70mm EFFECTIVE LENGTH	Ø 2.4mm	45° TUNGSTEN TIP	PACK OF 5		
				— 4mm x 0.25mm	DNE237
70mm EFFECTIVE LENGTH	Ø 2.4mm	TUNGSTEN TIP	PACK OF 5		
				— 4mm x 0.25mm	DNE236

SINGLE USE / Electrodes / 63


Monopolar Needle Electrode



LONG SHAFT 140mm	Ø 2.4mm	PACK OF 5
		
20mm x 0.5mm		DNE33
		
12mm x 0.8mm		DNE32

Monopolar Spatula Electrode



LONG SHAFT 140mm	Ø 2.4mm	PACK OF 5
		
20mm x 2.4mm		DNE22

64 / ACCESSORIES / Reusable

Julian Taylor Quiver with Holding Ring

Ø 40mm x 250mm Long



Quiver Telescopic with Holding Ring

Ø 58mm Extends to 390mm



Quiver with Holding Ring

Ø 58mm x 200mm Long



ACCESSORIES / Reusable / 65

Quiver with Removable Screw Bottom



	LENGTH (cm)	
	24	38
Ø 6cm	22-6055-03	22-6055-04




66 / ACCESSORIES / Reusable

Punch for Processing Tags



LENGTH (mm)
150
22-7009-00

Processing Tags



PACK SIZE	10	22-7065-10
	25	22-7065-25
	50	22-7065-50

Quiver/Holster - Sterile


ACCESSORIES / Single Use / 67



BOX
OF 10

301-HOLTC


Disposable Tip Cleaner Pad - Sterile 50mm x 50mm



PACK SIZE	10	22-7060-10
	25	22-7060-25
	50	22-7060-50

ELECTRO

SURGERY INSTRUMENTS



WAQAR INTERNATIONAL
Precision Instruments Manufacturer



OMAN OFFICE:

Phone: +968 9368 9750
Email: sales@waqarintl.com
Address: Muscat, Oman

HEAD OFFICE PAKISTAN

Phone: +92 307-6173627
Email: sales@waqarintl.com
Address: Roras Road, Opposite Anwar Khawaja Industries, Sialkot - 51310 Pakistan.

Friendly Specialist
SERVICE



www.waqarintl.com